INDEX

PROCEEDINGS OF THE AMERICAN CONCRETE INSTITUTE

VOLUME 28

In general, important subjects are classified and indexed under approximately 30 main headings each one appearing in its proper alphabetical order in bold face capital letters—as for instance, ARCHITECTURAL DESIGN. "Surface treatment" and other subjects classified under this head, are indented.

Key words to important subjects appear, in alphabetical order in addition to the general classification—as for instance "Admixtures" and "Aggregate," each referring to MATERIALS AND TESTS under which all allied references appear, indented. Authors' names appear in proper alphabetical sequence with the subjects with references to their contributions.

Specific data on Beams are so indexed by reference to "ENGINEERING DESIGN" or "TESTS OF MEMBERS AND COMPLETED STRUCTURES" thus avoiding an oversight by the searcher of important allied data.

The readiest use may be made of this index by gaining some familiarity with the thirty main classifications.

The searcher for information on design and proportioning of concrete mixtures will look for MIXTURES and refer to subheads: "Design" and "Proportions." Field control methods will be found under TESTS AND FIELD CONTROL.

A

Acid waters—Effect on concrete. Tremper. 1
Admixtures—See MATERIALS AND TESTS
Aggregates—See MATERIALS AND TESTS
Allan, W. D. M.—Concrete burial vault specification. Report of Committee 709. 633
—Disc. Properties and problems of masonry cements. 665
—Shrinkage measurements of concrete block masonry. 177
Anderegg, F. O.—Disc. Properties and problems of masonry cements. 665
—Disc. Studies of concrete mixtures. 141
—Disc. The structural performance of concrete masonry walls. 677
ARCHITECTURAL DESIGN
Surface treatment—Color. Lear. 589
—Disc. Earley. 593
—Lear. 593
Autoclave test—High pressure steam curing. Pearson and Brickett. 537
—Notes on hardening concrete. Bates and Blaine. 531

B

Bates, P. H.—Disc. Properties and problems of masonry cements. 665
—Disc. Studies of workability of concrete. 706
—Notes on hardening cements at the boiling point of water. 531
Beams. See ENGINEERING DESIGN.
BIBLIOGRAPHY
Arches—Properties. Whitney. 517
Masonry cements—Properties and problems. Pearson. 361
Physical properties of concrete. Whitney 517
Bird, Millard F.—Disc. Use of color in concrete. 151
Blaine, R. L.—Notes on hardening cements at the boiling point of water. 531
Branda, Christopher—Disc. Report committee 708. Proposed recommended practice for the manufacture of concrete building block and tile. 155
Brekke, G. N.—Disc. Bond, shear and diagonal tension. 521
Brickett, E. M.—Studies of high-pressure steam curing. 537
BRIDGES
Arch—Plain and reinforced. Whitney. 479
—Construction—Allegheny Co., Pa. Covell. 653
—Design—Allegheny Co., Pa. Richardson. 637
Bascule—Heavy concrete counterweights. Keyser. 525
Highway — Mount Vernon memorial. Toms and Johnson. 563
Bruce, Warren C.—Disc. Workability and admixtures. 205

BUILDINGS
High—Deflections and vibrations. Mensch ... 387
Disc. Coyle ... 679
—— Mensch ... 679

BUILDING UNITS
See MASONRY UNITS.
Burial vaults—Specifications. Allan ... 633

C

Cast stone—Color in architecture. Lear ... 589
—Disc. Earley ... 593
—Lear ... 593
—Physical properties of. Tucker, Walker and Swenson ... 243
See also MASONRY UNITS
Celite—See MATERIALS AND TESTS—Admixtures.

CENTRAL MIXING
Plants—Bulk cement. Coffman ... 37
Transit mixer—Tests of concrete from. Hollister ... 405
—Disc. Chapman ... 681
—Gardiner ... 686
—Greenman ... 687
—Hollister ... 689
—Levison ... 685
—Lyse ... 688
Chapman, Cloyd M.—Disc. Tests of concrete from a transit mixer ... 681
Christensen, Einar—Disc. The structural performance of concrete masonry walls ... 676
Coffman, Herbert—The use of cement in bulk. Report of Committee 607 ... 37
Colmar, Daniel—Disc. Use of color in concrete ... 153
Committee 105 third progress report ... 157
—108 report—Properties of mass concrete Disc. Douglass ... 193
—Woods and Steinour ... 195
—308 report—Basis of design for hurricane exposure. Disc. Coyle ... 73
—Smith ... 73, 75
—312 progress report — Plain and reinforced concrete arches. Whitney ... 479
—408 progress report—Use of color in concrete. Disc. Bird ... 151
—Colmar ... 153
—Waldo ... 153
—607 report—The use of bulk cement. Coffman ... 37
—704 report—Cast stone standards Weigel 33
—708 report—Proposed recommended practice for the manufacture of concrete building block and tile. Disc. Branda ... 155
—709 report—Concrete burial vault construction. Allan ... 633
—902 report—Pavement standards. Lang. 453
Consistency indicator—Characteristics in mixer drum. Roberts ... 59
—Disc. Shafer ... 71

CONSTRUCTION—DETAILS, METHODS AND COSTS
Bridge—Arch—Allegheny Co., Pa. Covell 653
Bulk cement handling. Coffman ... 37
Filtration plant substructure—Detroit. Saunders ... 97
Pavement—Mount Vernon. Toms and Johnson ... 563
—Municipalities — Specifications for. Lang ... 453
Reservoir—20-million gallon. Morrill ... 81
—Disc. Morrill ... 450
—— Way ... 449
Sidewalk—Exposed aggregates. Dieterich 627
Tunnel—Calderwood development. Disc. Jewett ... 275
See also Errata, p. ——
Copeland, R. E.—Effect of mortar strength and strength of unit on the strength of concrete masonry walls ... 551
Covell, V. R.—The construction of concrete arches in Allegheny County, Penna ... 653
Coyle, David Cushman—Disc. Basis of design for hurricane exposure ... 73
—Disc. Deflections and vibrations in high buildings ... 679
Cross, Hardy—Disc. Flow of concrete under action of sustained loads ... 265

CURING
Boiling water—Effect of. Bates and Blaine ... 531
High pressure steam. Pearson and Brickett ... 537

D

Deflections and vibrations in high buildings. Mensch ... 387
—Disc. Coyle ... 679
—— Mensch ... 679
Derleth, C. P.—Disc. Workability and admixtures ... 199
Dieterich, Louis F.—Construction of sidewalks in the extension of the United States Capitol grounds ... 627
Douglass, A. S.—Disc. Properties of mass concrete ... 193

DURABILITY
Acid waters—Effect of. Tremper ... 1
Weathering—Resistance of cast stone. Tucker, Walker and Swenson ... 243

E

ENGINEERING DESIGN
Arches—Plain and reinforced—Report Committee 312. Whitney ... 479
—High strength concrete. Towles ... 607
Beams—Bond, shear and diagonal tension. Shank ... 187
—Construction—High strength concrete. Towles ... 607
—Horizontally curved—Bending and torsion. Oesterblom ... 597

ENGINEERING DESIGN (Continued)
Bridge—Arch—Allegheny Co., Pa. Richardson ... 637
——Heavy concrete counterweights. Keyser ... 525
Buildings—Deflections and vibrations. Mensch ... 387
——Disc. Coyle ... 679
——Mensch ... 679
——For hurricane exposure. Disc. Coyle. 73
——Smith ... 73
Columns—Tests at Lehigh University. Slater and Lyse ... 159
——Lyse and Kreidler ... 317
——Tests at University of Illinois. Richart and Staehle ... 167, 279
——Third progress report, committee 105. 157
Pavement—Mount Vernon Highway. Toms and Johnson ... 563
Reservoir—20-million gallon. Morrill ... 81
——Disc. Morrill ... 450
——Way ... 449
Rigid frames—Slope deflection equations. Evans ... 109
Walls—Masonry. Richart ... 363
——Disc. Anderegg ... 677
——Christensen ... 676
——Richart ... 677
Evans, L. T.—The modified slope-deflection equations ... 109

F

Flow table—Slump test—Disc. Bruce ... 205
——Derleth ... 199
——Lyse and Johnson ... 207
——Williams ... 207
Freyssinet method of arch adjustment. Whitney ... 479

G

Gardiner, Lion—Disc. Tests of concrete from a transit mixer ... 686
Greenman, Russell S.—Disc. Tests of concrete from a transit mixer ... 687

H

Haydite concrete masonry—Shrinkage. Allan ... 177
——See also LAWS AND PROPERTIES—Volume Changes
High strength concretes — Advantages. Towles ... 607
Hollister, S. C.—Tests of concrete from a transit mixer ... 405
——Disc. Tests of concrete from a transit mixer ... 689

I

Ingberg, S. H.—Disc. Properties and problems of masonry cements ... 672
Integral waterproofings—Tests of. Jumper. 209
——Disc. Johnson ... 585
——Smith ... 586

J

Jewett, J. Y.—Disc. Concreting the Calderwood tunnel ... 273
See also Errata, p. **30**
Johnson, J. W.—The design and construction of the Mount Vernon Memorial Highway 563
Johnson, Nathan C.—Disc. Tests of integral and surface waterproofings for concrete .. 585
Johnson, W. R.—Disc. Workability and admixtures ... 207
Jumper, C. H.—Tests of integral and surface waterproofings for concrete ... 209

K

Keyser, C. C.—Designing concrete for weight of 271 pounds per cubic foot ... 525
Kreidler, C. L.—Fourth progress report on column tests at Lehigh University ... 317

L

Lang, F. C.—Proposed specifications for concrete pavement in municipalities ... 453
LAWS AND PROPERTIES
Acid resistance—Acid waters. Tremper. 1
Bond-Shear and diagonal tension. Shank 187
——Disc. Brekke ... 521
Consistency—Workability and admixtures. Disc. Bruce ... 205
——Derleth ... 199
——Lyse and Johnson ... 207
——Williams ... 207
Diagonal tension — Bond and shear. Shank ... 187
——Disc. Brekke ... 521
Elasticity—Concrete arches. Whitney .. 479
Flow—Plastic—Concrete arches. Whitney ... 479
——Columns under sustained load. Richart and Staehle ... 279
——Under sustained loads. Disc. Cross .. 265
Hardening—At boiling point. Bates and Blaine ... 531
——Under high pressure steam. Pearson and Brickett ... 537
Physical—Cast stone. Tucker, Walker and Swenson ... 243
——Masonry cements. Pearson ... 349
——Disc. Allan ... 665
——Anderegg ... 665
——Bates ... 665
——Ingberg ... 672
——Malmed ... 671
——Mills ... 672
——Pearson ... 675
——Trainor ... 668
Shear — Bond and diagonal tension. Shank ... 187
——Disc. Brekke ... 521
Temperature changes—Mass concrete. Disc. Douglass ... 193
——Woods and Steinour ... 195

LAWS AND PROPERTIES (Continued)
Temperature variations—Concrete arches. Whitney ... 479
Volume changes — Shrinkage — Arches. Whitney ... 479
—Columns under sustained load. Richart and Staehle ... 279
—Masonry. Allan ... 177
—Strength and shrinkage—Blends of portland cement and pozzuolanic materials. Disc. Stanton ... 131
See Errata p. **30**.
Weight—Heavy concrete for bridge counterweights. Keyser ... 525
Workability—Determination in mixer drum. Roberts ... 59
—Disc. Shafer ... 71
—Studies of. Powers ... 419
—Disc. Bates ... 706
—Smith ... 693
—Tucker ... 705
Lear, Fred R.—Cast stone as a means to color in architecture ... 589
Levison, A. A.—Disc. Tests of concrete from a transit mixer ... 685
Lyse, Inge—Disc. Tests of concrete from a transit mixer ... 688
—Workability and admixtures ... 207
—Third progress report on column tests at Lehigh University ... 159
—Fourth progress report on column tests at Lehigh University ... 317

M

Malmed, A. T.—Disc. Properties and problems of masonry cements ... 671
MASONRY UNITS
Block—Shrinkage measurements. Allan. 717
—and tile—Recommended practice for manufacture. Disc. Branda ... 155
—Structural performance of walls. Richart ... 363
—Disc. Anderegg ... 677
—Christensen ... 676
—Richart ... 677
Cast stone—Physical properties. Tucker, Walker, and Swenson ... 243
—Testing. Weigel ... 33
Strength—Effect of mortar strength on masonry walls. Copeland and Timms 551
MATERIALS AND TESTS
Admixtures—Celite—Effect on modulus of elasticity. Smith ... 613
—Effect upon workability—Disc. Bruce 205
—Derleth ... 199
—Lyse and Johnson ... 207
—Williams ... 207
Aggregates—Heavy—For bridge counterweights. Keyser ... 525
Cements—Bulk handling. Coffman ... 37
—Hardening at boiling point. Bates and Blaine ... 531
—Masonry—Properties and problems. Pearson ... 349
—Disc. Allan ... 665
—Anderegg ... 665
—Bates ... 665
—Ingberg ... 672
—Malmed ... 671
—Mills ... 672
—Pearson ... 675
—Trainer ... 668
Concrete—From transit mixer. Hollister 405
Portland cement—Blends with pozzuolanic materials. Disc. Stanton. *See Errata p.* **30** ... 131
Pozzuolanic materials—Blends with portland cement—Strength and shrinkage of mortars. Disc. Stanton. *See Errata p.* **30** ... 131
Waterproofing—Integral and surface—Tests of. Jumper ... 209
—Disc. Johnson ... 585
—Smith ... 586
Mensch, L. J.—Deflections and vibrations in high buildings ... 387
—Disc ... 679
Mills, R. E.—Disc. Properties and problems of masonry cements ... 672
MIXTURES
Behavior—Studies of. Disc. Anderegg .. 141
—Pond ... 141
—Smith ... 143
Transit mixer—Tests of concrete. Hollister ... 405
—Disc. Chapman ... 681
—Gardiner ... 686
—Greenman ... 687
—Hollister ... 689
—Levison ... 685
—Lyse ... 688
Morrill, Arthur B.—Unusual features in design and construction of a 20-million gallon concrete reservoir ... 81
—Disc ... 450

O

Oesterblom, I. E.—Bending and torsion in horizontally curved beams ... 597

P

PAVEMENT
Highway—Design and construction—Mount Vernon. Toms and Johnson ... 563
Sidewalk — Exposed aggregate — U. S. Capitol grounds. Dieterich ... 627
Specifications for municipalities—Committee 902. Lang ... 453
Pearson, J. C.—Properties and problems of masonry cements ... 349
—Disc ... 675
—Studies of high-pressure steam curing ... 537
Pozzuolanic material. See MATERIALS AND TESTS.

PERMEABILITY
Tests of integral and surface waterproofings. Jumper ... 209
—Disc. Johnson ... 585
—Smith ... 586
Pond, L. J.—Disc. Studies of concrete mixtures ... 141
Powers, T. C.—Studies of workability of concrete ... 419

R

Remolding test—Studies of workability. Powers ... 419
RESERVOIRS AND TANKS
Waterworks—20-million gallon. Morrill ... 81
Rigid frames—See ENGINEERING DESIGN.
Roberts, Emory D.—Determining characteristics of concrete in the mixer drum ... 59
Richardson, G. S.—The design of concrete arches in Allegheny County, Pa. ... 637
Richart, F. E.—The structural performance of concrete masonry walls ... 363
—Disc ... 677
—Fourth progress report of the column tests made at the University of Illinois ... 279
—Third progress report on column tests made at the University of Illinois ... 167

S

Saunders, W. K.—Concrete plant on Detroit water filtration substructure ... 97
Shafer, Sam—Disc. Determining characteristics of concrete in the mixer drum ... 71
Shank, J. R.—Bond, shear and diagonal tension ... 187
Slater, W. A.—Third progress report on column tests at Lehigh University ... 159
Slope-deflection equations. Evans ... 109
Slump test—Flow table—Disc. Bruce ... 205
—Derleth ... 199
—Lyse and Johnson ... 207
—Williams ... 207
Smith, Albert—Disc. Basis of design for hurricane exposure ... 73
Smith, George A.—Disc. Studies of concrete mixtures ... 143
—Studies of workability of concrete ... 693
—Tests of integral and surface waterproofings for concrete ... 585
—Effect of celite on the modulus of elasticity of concrete ... 613
SPECIFICATIONS
Block and tile—Manufacture. Report committee 708. Disc. Branda ... 155
Burial vault — Report committee 709. Allan ... 633
Cast stone—Testing. Report committee 704. Weigel ... 33
Color in concrete—Use of. Report committee 408.
Disc. Bird ... 151
—Colmar ... 153
—Waldo ... 153
Pavement—In municipalities—Committee 902. Lang ... 453
Stanton, Jr., Thos. E.—Disc. Strength and shrinkage of mortars made with blends of portland cement and pozzuolanic materials ... 131
See Errata p. **30**
Staehle, G. C.—Fourth progress report of the column tests made at the University of Illinois ... 279
—Third progress report on column tests made at the University of Illinois ... 167
Steinour, Harold H.—Disc. Report of committee 108. Properties of mass concrete ... 195
SURFACES
Color—In architecture. Lear ... 589
—Disc. Early ... 593
—Lear ... 593
Coloration—Report committee 408. Disc.
Bird ... 151
—Colmar ... 153
—Waldo ... 153
Sidewalk—Exposed aggregate. Dieterich 627
Swenson, J. Arthur—The physical properties of cast stone ... 243

T

TESTS AND FIELD CONTROL
Workability determination—In mixer drum. Roberts ... 59
—Disc. Shafer ... 71
Remolding test—Workability. Powers ... 419
—Disc. Bates ... 706
—Smith ... 693
—Tucker ... 705
TESTS OF MEMBERS AND COMPLETED STRUCTURES
Columns—At Lehigh University. Slater and Lyse ... 159
—Investigation—Third progress report committee 105 ... 157
—At University of Illinois. Richart and Staehle ... 167
Masonry panels—Shrinkage measurements. Allan ... 177
Columns — At University of Illinois. Richart and Staehle ... 279
—At Lehigh University. Lyse and Kreidler ... 317
Walls—Masonry. Richart ... 363
Wallettes—Effect of mortar strength and strength of unit. Copeland and Timms 551
Walls—Masonry. Disc. Christensen ... 676
—Anderegg ... 677
—Richart ... 677
Timms, A. G.—Effect of mortar strength and strength of unit on the strength of concrete masonry walls ... 551
Toms, R. E.—The design and construction of the Mount Vernon Memorial Highway ... 563

TESTS OF MEMBERS AND COMPLETED STRUCTURES (Continued)

Towles, Thomas T.—Advantages in the use of high strength concretes..... 607
Trainer, Lee S.—Disc. Properties and problems of masonry cements..... 668
Transit mixer—Tests of concrete from. Hollister..... 405
Tremper, Bailey—The effect of acid waters on concrete..... 1
Tucker, Jr., John—The physical properties of cast stone..... 243
—Disc. Studies of workability of concrete. 705

W

Waldo, Edward M.—Disc. Use of color in concrete..... 153
Walker, G. W.—The physical properties of cast stone..... 243
Way, W. F.—Disc. Unusual features in design and construction of a 20-million gallon concrete reservoir..... 449
Wallettes—Structural performance of. Richart..... 363
—Tests of. Copeland and Timms..... 551
Waterproofings — Integral and surface — Tests of. Jumper..... 209
—Disc. Johnson..... 585
—Smith..... 586

WATERWORKS

Filtration plant — Substructure — Saunders..... 97
Reservoir—Detroit. Morrill..... 81
—Disc. Morrill..... 450
—Way..... 449
Weigel, Fred—Testing cast stone. Report committee 704. Cast stone standards... 33
Whitney, Charles S.—Plain and reinforced concrete arches. Progress report committee 312..... 479
Williams, G. M.—Disc. Workability and admixtures..... 207
Woods, Hubert—Disc. Report of committee 108. Properties of mass concrete..... 195

ERRATA

CONCRETING THE CALDERWOOD TUNNEL

Disc. p. 274, line 4, *recommended* should be *the recommendation.*

STRENGTH AND SHRINKAGE OF MORTARS MADE WITH BLENDS OF PORTLAND CEMENT AND POZZUOLANIC MATERIALS

Disc. p. 133. Second line under Table 1 should read *All figures in Tables 1, 2, 3 and 4* . . . instead of *all figures in Tables 1, 2 and 3* . . . In Table 1, sixth line under column heading "1 year—Lbs." the number should be *6064* instead of *6664*; in same line under heading "1 Year—%" the number should be *62.9* instead of *69.1.* In same table, second line from bottom of column headed 28 Days—Lbs." should be *7390* instead *7290.* P. 134, 135, transfer lines 2, 3, 4 and 5 of notes heading Table 6, p. 135 to follow first line of notes heading Table 5, p. 134. P. 135, last line of Table 9, figure in column headed "3 Mos.—Av. Str." should be *4322* instead of *4222.* P. 136, Table 11, percentage *14.89* under heading "Pumicite No. 2" in third column is a combination percentage for both Iron and Alumina and not for Iron alone as indicated.

TESTS OF MEMBERS AND COMPLETED STRUCTURES (Continued)

Towles, Thomas T.—Advantages in the use of high strength concretes..... 607
Trainer, Lee S.—Disc. Properties and problems of masonry cements..... 668
Transit mixer—Tests of concrete from. Hollister..... 405
Tremper, Bailey—The effect of acid waters on concrete..... 1
Tucker, Jr., John—The physical properties of cast stone..... 243
—Disc. Studies of workability of concrete. 705

W

Waldo, Edward M.—Disc. Use of color in concrete..... 153
Walker, G. W.—The physical properties of cast stone..... 243
Way, W. F.—Disc. Unusual features in design and construction of a 20-million gallon concrete reservoir..... 449
Wallettes—Structural performance of. Richart..... 363
—Tests of. Copeland and Timms..... 551
Waterproofings — Integral and surface — Tests of. Jumper..... 209
—Disc. Johnson..... 585
—Smith..... 586

WATERWORKS

Filtration plant — Substructure — Saunders..... 97
Reservoir—Detroit. Morrill..... 81
—Disc. Morrill..... 450
—Way..... 449
Weigel, Fred—Testing cast stone. Report committee 704. Cast stone standards... 33
Whitney, Charles S.—Plain and reinforced concrete arches. Progress report committee 312..... 479
Williams, G. M.—Disc. Workability and admixtures..... 207
Woods, Hubert—Disc. Report of committee 108. Properties of mass concrete..... 195

ERRATA

CONCRETING THE CALDERWOOD TUNNEL

Disc. p. 274, line 4, *recommended* should be *the recommendation.*

STRENGTH AND SHRINKAGE OF MORTARS MADE WITH BLENDS OF PORTLAND CEMENT AND POZZUOLANIC MATERIALS

Disc. p. 133. Second line under Table 1 should read *All figures in Tables 1, 2, 3 and 4* . . . instead of *all figures in Tables 1, 2 and 3* . . . In Table 1, sixth line under column heading "1 year—Lbs." the number should be *6064* instead of *6664*; in same line under heading "1 Year—%" the number should be *62.9* instead of *69.1.* In same table, second line from bottom of column headed 28 Days—Lbs." should be *7390* instead *7290.* P. 134, 135, transfer lines 2, 3, 4 and 5 of notes heading Table 6, p. 135 to follow first line of notes heading Table 5, p. 134. P. 135, last line of Table 9, figure in column headed "3 Mos.—Av. Str." should be *4322* instead of *4222.* P. 136, Table 11, percentage *14.89* under heading "Pumicite No. 2" in third column is a combination percentage for both Iron and Alumina and not for Iron alone as indicated.